

ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 1 / 11

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: F.0503181900
Product name ONDE EC BASE NEU.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Decorative paint

Identified Uses Industrial Professional Consumer
Recommended uses -

1.3. Details of the supplier of the safety data sheet

Name Giuseppe Di Maria S.p.A.

Full address 4 Enrico Mattei
District and Country 90124 Palermo

Italy

Tel. +39 091 391288 Fax +39 091 476374

sicurezza@dimaria.it

 $\mbox{e-mail}$ address of the competent person

responsible for the Safety Data Sheet

Product distribution by: Giuseppe Di Maria S.p.A.

1.4. Emergency telephone number

For urgent inquiries refer to Phone numbers of Poison Control Centers active 24 hours over 24 in Italy:

ROMA: Centro Antiveleni - Policlinico A.Gemelli

- Universita' Cattolica Del Sacro Cuore - Tel. 06 3054343

For any further information: Giuseppe Di Maria SpA Tel. +39 091 391288

(PA)

Monday to Friday 9:00-12:00 13:00-16:30

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830.

Hazard classification and indication: --

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: -

Signal words:

Hazard statements:

EUH210 Safety data sheet available on request.

EUH208 Contains: mix of: 5-chloro-2-methyl-2H-isothyazolin-3-one [EC no. 247-500-7],

2-methyl-2H-isothyazolin-3-one [EC no. 220-239-6] 3:1)

May produce an allergic reaction.



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 2 / 11

SECTION 2. Hazards identification .../>>

Precautionary statements: -

VOC (Directive 2004/42/EC):

Decorative effect coatings.

VOC given in g/litre of product in a ready-to-use condition : 200,00 Limit value: 200,00

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

TALC

CAS 14807-96-6 9 ≤ x < 10,5 Acute Tox. 4 H332, STOT SE 3 H335

EC 238-877-9

INDFX

NAPHTHA (PETROL.) HYDROTREATED HEAVY

CAS 64742-48-9 $2 \le x < 2,5$ Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP Regulation: P

EC 265-150-3

INDEX 649-327-00-6

AMMONIA

CAS 1336-21-6 0,05 ≤ x < 0,1 Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Acute 1 H400 M=1,

Classification note according to Annex VI to the CLP Regulation: B

EC 215-647-6 INDEX 007-001-01-2

ETHANEDIOL

CAS 107-21-1 $0 \le x < 0.05$ Acute Tox. 4 H302, STOT RE 2 H373

EC 203-473-3

INDEX 603-027-00-1

mix of: 5-chloro-2-methyl-2H-isothyazolin-3-one [EC no. 247-500-7], 2-methyl-2H-isothyazolin-3-one [EC no. 220-239-6] 3:1)

CAS 55965-84-9 $0 \le x < 0,0015$ Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Skin Corr. 1B H314,

Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1,

Aquatic Chronic 1 H410 M=1

EC

INDEX 613-167-00-5

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

@EPY 9.8.5 - SDS 1004.13



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 3 / 11

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 4 / 11

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP España INSHT - Límites de exposición profesional para agentes químicos en España 2017

FRA France JORF n°0109 du 10 mai 2012 page 8773 texte n° 102

GBR United Kingdom EH40/2005 Workplace exposure limits ITA Italia Decreto Legislativo 9 Aprile 2008, n.81

EU OEL EU Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC;

Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 2019

| | | | | Т | TALC | |
|-----------------|---------|--------|-----|----------|------|--|
| Threshold Limit | Value | | | | | |
| Type | Country | TWA/8h | | STEL/15n | imin | |
| | | mg/m3 | ppm | mg/m3 | ppm | |
| VLA | ESP | 2 | | | | |
| WEL | GBR | 1 | | | | |
| TLV-ACGIH | | 2 | | | | |

| | | | | AM | MONIA | | |
|-----------------------|---------|--------|-----|----------|-------|--|--|
| Threshold Limit Value | | | | | | | |
| Туре | Country | TWA/8h | | STEL/15r | min | | |
| | | mg/m3 | ppm | mg/m3 | ppm | | |
| VLEP | ITA | 14 | 20 | 36 | 50 | | |
| OEL | EU | 14 | 20 | 36 | 50 | | |
| TLV-ACGIH | | 17 | 25 | 24 | 35 | | |

| | | | | ETH/ | ANEDIOL | | |
|-----------------|---------|--------|-----|----------|---------|------|--|
| Threshold Limit | Value | | | | | | |
| Type | Country | TWA/8h | | STEL/15r | min | | |
| | • | mg/m3 | ppm | mg/m3 | ppm | | |
| VLA | ESP | 52 | 20 | 104 | 40 | SKIN | |
| VLEP | FRA | 52 | 20 | 104 | 40 | SKIN | |
| WEL | GBR | 52 | 20 | 104 | 40 | | |
| VLEP | ITA | 52 | 20 | 104 | 40 | SKIN | |
| OEL | EU | 52 | 20 | 104 | 40 | SKIN | |
| TLV-ACGIH | | | | 100 (C) | | | |

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 5 / 11

SECTION 8. Exposure controls/personal protection .../>>

or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour Not available Odour characteristic Odour threshold Not available рΗ Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point °C: 60 Not available **Evaporation Rate** Not available Flammability of solids and gases Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Not available Vapour pressure Vapour density Not available Relative density 50.000 ÷ 80.000 cps Not available Solubility Partition coefficient: n-octanol/water Not available Not available Auto-ignition temperature Decomposition temperature Not available Viscosity Not available Not available Explosive properties Oxidising properties Not available

9.2. Other information

Appearance

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

AMMONIA

Corrodes: aluminium,iron,zinc,copper,copper alloys.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

AMMONIA

Risk of explosion on contact with: strong acids,iodine.May react dangerously with: strong bases.



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 6 / 11

SECTION 10. Stability and reactivity .../>>

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

AMMONIA

Incompatible with: silver, silver salts, lead, lead salts, zinc, zinc salts, hydrochloric acid, nitric acid, oleum, halogens, acrolein, nitromethane, acrylic acid.

10.6. Hazardous decomposition products

AMMONIA

May develop: nitric oxide.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: > 5 mg/

LD50 (Oral) of the mixture:

Not classified (no significant component)
LD50 (Dermal) of the mixture:

Not classified (no significant component)

ETHANEDIOL

 LD50 (Oral)
 > 2000 mg/kg Rat

 LD50 (Dermal)
 9530 mg/kg Rabbit

mix of: 5-chloro-2-methyl-2H-isothyazolin-3-one [EC no. 247-500-7], 2-methyl-2H-isothyazolin-3-one [EC no. 220-239-6] 3:1)

 LD50 (Oral)
 64 mg/kg rat

 LD50 (Dermal)
 87,12 mg/kg rabbit

 LC50 (Inhalation)
 0,33 mg/l/4h rat

AMMONIA

LD50 (Oral) 350 mg/kg Rat

NAPHTHA (PETROL.) HYDROTREATED HEAVY

 LD50 (Oral)
 > 5000 mg/kg Rat

 LD50 (Dermal)
 > 2000 mg/kg Rabbit

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 7 / 11

SECTION 11. Toxicological information .../>>

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

mix of: 5-chloro-2-methyl-2H-isothyazolin-3-one [EC no. 247-500-7], 2-methyl-2H-isothyazolin-3-one [EC no. 220-239-6] 3:1)

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

mix of: 5-chloro-2-methyl-2H-isothyazolin-3-one [EC no. 247-500-7], 2-methyl-2H-isothyazolin-3-one [EC no. 220-239-6] 3:1)

LC50 - for Fish

0,19 mg/l/96h Oncorhynchus mykiss

EC50 - for Crustacea

0,16 mg/l/48h Daphnia magna

Chronic NOEC for Fish

0,05 mg/l Oncorhynchus mykiss

Chronic NOEC for Crustacea

0,1 mg/l Daphnia magna

AMMONIA

LC50 - for Fish 47 mg/l/96h Channa punctata EC50 - for Crustacea 20 mg/l/48h Daphnia magna

NAPHTHA (PETROL.) HYDROTREATED HEAVY

LC50 - for Fish 8,2 mg/l/96h Pimephales promelas EC50 - for Crustacea 4,5 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 3,1 mg/l/72h Pseudokirchnerella subcapitata

12.2. Persistence and degradability

ETHANEDIOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

Degradability: information not available

@EPY 9.8.5 - SDS 1004.13



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 8 / 11

SECTION 12. Ecological information .../>>

TALC

Solubility in water < 0,1 mg/l

NAPHTHA (PETROL.) HYDROTREATED HEAVY

Rapidly degradable

12.3. Bioaccumulative potential

ETHANEDIOL

Partition coefficient: n-octanol/water -1,36

12.4. Mobility in soil

NAPHTHA (PETROL.) HYDROTREATED HEAVY

Partition coefficient: soil/water 1,78

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 9 / 11

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

VOC (Directive 2004/42/EC):

Decorative effect coatings.

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3 Acute toxicity, category 3
Acute Tox. 4 Acute toxicity, category 4
Asp. Tox. 1 Aspiration hazard, category 1

STOT RE 2 Specific target organ toxicity - repeated exposure, category 2

Skin Corr. 1B Skin corrosion, category 1B

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Skin Sens. 1 Skin sensitization, category 1

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1 **Aquatic Chronic 1** Hazardous to the aquatic environment, chronic toxicity, category 1

H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H331 Toxic if inhaled.
H302 Harmful if swallowed.
H332 Harmful if inhaled.

H304 May be fatal if swallowed and enters airways.

H373 May cause damage to organs through prolonged or repeated exposure.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.
H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 10 / 11

SECTION 16. Other information .../>>

- CLP: EC Regulation 1272/2008- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.



ONDE EC BASE NEU.

Revision nr.1 Dated 13/02/2019 First compilation Printed on 17/11/2020 Page n. 11 / 11

| SECTION 16. Other informatio | on/ | >> |
|------------------------------|-----|----|
|------------------------------|-----|----|

| Changes to previous review: |
|---------------------------------------|
| The following sections were modified: |
| 01 / 09 / 16. |